

Dissipative PE Bags

Description



Packaging for non-sensitive components for a risk-free EPA.

- Dissipative LDPE-film
- Free of amine and amide
- Printed ESDD warning symbol
- Open on the short side
- Heat sealable
- Recyclable
- Available in various sizes

Properties

- **Colour:** Pink
- **Material:** PE-film (LDPE)
- **Thickness:** with zip-lock: 60 µm
without zip-lock: 80 µm
- **Durability:** 12 months
- **Usage information:** Not suitable as packaging for electrostatic discharge sensitive devices (ESDS)!

Experience has shown that the electrical properties are still unchanged after 24 months on basis of an optimal storage!

Electrical properties

	Standard	Typical value
▪ Surface resistivity (R_s):	DIN EN 61340-2-3	< 1 x 10 ¹¹ Ω

Die Angaben in diesem Merkblatt sind als Richtlinie gedacht. Sie wurden aufgrund umfangreicher Untersuchungen zusammengestellt. Eine Rechtsverbindlichkeit kann daraus nicht abgeleitet werden. Technische Fragen richten Sie bitte an iroda@stat-x.com. We believe all the information in these pages including technical data to be reliable. However, we make no warranties expressed or implied and assume no liability regarding any use of this information. For technical support please write to iroda@stat-x.com.

Order information

Bag without zip-lock

(dimensions: bag aperture x bag length)

- 03-0101-10305 SX10-80 Dissipative PE bags, 76 x 127 mm, PU = 3000 pieces
- 03-0101-10406 SX10-80 Dissipative PE bags, 100 x 150 mm, PU = 1000 pieces
- 03-0101-10508 SX10-80 Dissipative PE bags, 130 x 200 mm, PU = 1000 pieces
- 03-0101-10610 SX10-80 Dissipative PE bags, 150 x 250 mm, PU = 1000 pieces
- 03-0101-10810 SX10-80 Dissipative PE bags, 200 x 250 mm, PU = 1000 pieces
- 03-0101-10816 SX10-80 Dissipative PE bags, 203 x 406 mm, PU = 1000 pieces
- 03-0101-11012 SX10-80 Dissipative PE bags, 250 x 300 mm, PU = 1000 pieces
- 03-0101-11014 SX10-80 Dissipative PE bags, 250 x 350 mm, PU = 1000 pieces
- 03-0101-11216 SX10-80 Dissipative PE bags, 300 x 400 mm, PU = 1000 pieces
- 03-0101-11518 SX10-80 Dissipative PE bags, 380 x 460 mm, PU = 1000 pieces
- 03-0101-11620 SX10-80 Dissipative PE bags, 400 x 500 mm, PU = 1000 pieces
- 03-0101-12024 SX10-80 Dissipative PE bags, 500 x 600 mm, PU = 1000 pieces

Bag with zip-lock

(dimensions: bag aperture x bag length)

- 03-0101-70305 SX10-60 Dissipative PE bags, with zip, 80 x 120 mm, PU = 1000 pieces
- 03-0101-70406 SX10-60 Dissipative PE bags, with zip, 100 x 150 mm, PU = 1000 pieces
- 03-0101-70610 SX10-60 Dissipative PE bags, with zip, 150 x 250 mm, PU = 1000 pieces
- 03-0101-70810 SX10-60 Dissipative PE bags, with zip, 200 x 250 mm, PU = 1000 pieces
- 03-0101-71012 SX10-60 Dissipative PE bags, with zip, 250 x 300 mm, PU = 1000 pieces
- 03-0101-71014 SX10-60 Dissipative PE bags, with zip, 250 x 350 mm, PU = 1000 pieces
- 03-0101-71216 SX10-60 Dissipative PE bags, with zip, 300 x 400 mm, PU = 1000 pieces

*Die Angaben in diesem Merkblatt sind als Richtlinie gedacht. Sie wurden aufgrund umfangreicher Untersuchungen zusammengestellt. Eine Rechtsverbindlichkeit kann daraus nicht abgeleitet werden. Technische Fragen richten Sie bitte an iroda@stat-x.com.
We believe all the information in these pages including technical data to be reliable. However, we make no warranties expressed or implied and assume no liability regarding any use of this information. For technical support please write to iroda@stat-x.com.*

Tubular film on synthetic core

(dimensions: film aperture x bag length)

- 03-0101-10100C SX10-80 Dissipative PE tubular film, 100 mm x 250 m
- 03-0101-10130C SX10-80 Dissipative PE tubular film, 130 mm x 250 m
- 03-0101-10150C SX10-80 Dissipative PE tubular film, 150 mm x 250 m
- 03-0101-10200C SX10-80 Dissipative PE tubular film, 200 mm x 250 m
- 03-0101-10250C SX10-80 Dissipative PE tubular film, 250 mm x 250 m
- 03-0101-10300C SX10-80 Dissipative PE tubular film, 300 mm x 250 m
- 03-0101-10400C SX10-80 Dissipative PE tubular film, 400 mm x 250 m
- 03-0101-10500C SX10-80 Dissipative PE tubular film, 500 mm x 250 m
- 03-0101-10600C SX10-80 Dissipative PE tubular film, 600 mm x 250 m

Further sizes and thicknesses available on request!

*Die Angaben in diesem Merkblatt sind als Richtlinie gedacht. Sie wurden aufgrund umfangreicher Untersuchungen zusammengestellt. Eine Rechtsverbindlichkeit kann daraus nicht abgeleitet werden. Technische Fragen richten Sie bitte an iroda@stat-x.com.
We believe all the information in these pages including technical data to be reliable. However, we make no warranties expressed or implied and assume no liability regarding any use of this information. For technical support please write to iroda@stat-x.com.*